

# Interference Search

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((((device or component or unit or terminal) near (unique or individual or singular or specific) near (identif\$7 or nam\$3 or tag\$4 or design\$5 or attribut\$3)) AND ((map\$4 or refer\$4 or correspond\$4 or locat\$3) near (table or array or column or structure)) AND (address\$4 or locat\$3 or slot or url) AND (device near2 driver) AND (version or information or attribute)).CLM.	US-PGPUB	OR	ON	2005/12/28 12:55

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((device or component or unit or terminal) near (unique or individual or singular or specific) near (identif\$7 or nam\$3 or tag\$4 or design\$5 or attribut\$3)) AND ((map\$4 or refer\$4 or correspond\$4 or locat\$3) near (table or array or column or structure)) AND (addres\$4 or locat\$3 or slot or url) AND (device near2 driver) AND (version or information or attribute)).CLM.	US-PGPUB	OR	ON	2005/12/28 13:08
L2	8715	((717/168-178) or (719/321-328) or (710/8,5) or (713/1,2)).CCLS.	US-PGPUB; USPAT	OR	OFF	2005/12/28 13:05
L3	4780	2 and (@ad<"20000630" or @rlad<"20000630")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/28 13:05
L4	2597	(device or component or unit or terminal) near (unique or individual or singular or specific) near (identif\$7 or nam\$3 or tag\$4 or design\$5 or attribut\$3)	US-PGPUB	OR	ON	2005/12/28 13:07
L5	70623	(map\$4 or refer\$4 or correspond\$4 or locat\$3) near (table or array or column or structure or database)	US-PGPUB	OR	ON	2005/12/28 13:11
L6	14954	(addres\$4 or locat\$3 or slot or url) near (driver or software or plugin or plug-in or module or interfac\$3)	US-PGPUB	OR	ON	2005/12/28 13:12
L7	8596	(version or release or copy) near (driver or software or plug-in or plugin or "plug in" or module or interfac\$3)	US-PGPUB	OR	ON	2005/12/28 13:17
L8	12	4 and 5 and 6 and 7	US-PGPUB	OR	ON	2005/12/28 13:17
L9	0	8 and 3	US-PGPUB	OR	ON	2005/12/28 13:17



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#)<sup>New!</sup> [more »](#)

"mapping table" identifier address "additional columns" version driver



[Advanced Search](#)  
[Preferences](#)

**Web** Results 1 - 10 of about 148 for "**mapping table**" identifier address "**additional columns**" version drive

### SQL Statements: CREATE SYNONYM to CREATE TRIGGER, 3 of 6

After creating a table, you can define **additional columns**, partitions, ...

Oracle creates the **mapping table** in the same tablespace as its parent ...

[www.lc.leidenuniv.nl/awcourse/oracle/server.920/a96540/statements\\_73a.htm](http://www.lc.leidenuniv.nl/awcourse/oracle/server.920/a96540/statements_73a.htm) - 242k - [Cached](#) - [Similar pages](#)

### SQL Statements: CREATE SYNONYM to CREATE TRIGGER, 3 of 6

After creating A Table, You can define **additional columns**, partitions, ...

for A more expanded **version** of these Examples, Please refer to "using XML in SQL ...

[www.ifi.uio.no/doc/oracle/ora9i/server.920/a96540/statements\\_73a.htm](http://www.ifi.uio.no/doc/oracle/ora9i/server.920/a96540/statements_73a.htm) - 242k - Supplemental Result -

[Cached](#) - [Similar pages](#)

### CREATE TABLE

After creating A TABLE, You can define **additional columns**, partitions, ...

if the Index-organized TABLE is partitioned, then the **mapping TABLE** is also ...

[kosobar.offis.uni-oldenburg.de/ORADOC10g/server.101/b10759/statements\\_7002.htm](http://kosobar.offis.uni-oldenburg.de/ORADOC10g/server.101/b10759/statements_7002.htm) - 214k - Supplemental Result - [Cached](#) - [Similar pages](#)

### [PDF] WhereScape RED

File Format: PDF/Adobe Acrobat - [View as HTML](#)

middle pane shows that the metadata has **additional columns** not present in the

... Microsoft ODBC **Driver** for Oracle **Version** 2.573.6019.00 or later. ...

[www.wherescape.com/brochures/red\\_user\\_guide.pdf](http://www.wherescape.com/brochures/red_user_guide.pdf) - [Similar pages](#)

### FEMA Port-to-Port Transportation Corridor Earthquake Vulnerability ...

It would have to pay overtime to its delivery truck **drivers** and office personnel,

... This analysis made use of a modified **version** of the Washington State ...

[www.fema.gov/hazus/txt/dl\\_trans.txt](http://www.fema.gov/hazus/txt/dl_trans.txt) - 113k - [Cached](#) - [Similar pages](#)

### [PDF] Spreadsheet Guide

File Format: PDF/Adobe Acrobat - [View as HTML](#)

plant name or **identifier** from plant documentation for each device. If The device.

is An RTU provide The RTU type, **address**, and note The communication port ...

[www.caiso.com/docs/2000/01/14/2000011411330429063](http://www.caiso.com/docs/2000/01/14/2000011411330429063). - Supplemental Result - [Similar pages](#)

### [PDF] HP A7173A PCI-X Dual Channel Ultra320 SCSI Host Bus Adapter ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

**version** to download the **drivers**, utilities, and manpages for the A7173A ...

Type fsX: (where X is the device selected from the Device **Mapping Table**), ...

[docs.hp.com/en/J6373-90008/J6373-90008.pdf](http://docs.hp.com/en/J6373-90008/J6373-90008.pdf) - [Similar pages](#)

### [PDF] Using Rose Data Modeler

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Analysis Object to Data Model Data Type **Mapping Table** 3 on page 68 ... Ensure you

use the ODBC **driver** that matches your **version** of DB2. ...

[www.se.fh-heilbronn.de/usefulstuff/Rational%20Rose%202003%20Documentation/rose\\_dm.pdf](http://www.se.fh-heilbronn.de/usefulstuff/Rational%20Rose%202003%20Documentation/rose_dm.pdf) - [Similar pages](#)

### CREATE TABLE

After creating a table, you can define **additional columns**, partitions, ...

If the index-organized table is partitioned, then the **mapping table** is also ...

[dis.univ-lyon2.fr/~darmont/oradoc/server.101/b10759/statements\\_7002.htm](http://dis.univ-lyon2.fr/~darmont/oradoc/server.101/b10759/statements_7002.htm) - 214k - [Cached](#) - [Similar pages](#)

[PDF] Using Rose Data Modeler

File Format: PDF/Adobe Acrobat - [View as HTML](#)

other names are used for **identification** purposes only and are trademarks or ...


for example, in the T\_Physician Table you may Use name and **address** as ...

instruction.bus.wisc.edu/schan/is424/ppt/Using\_Rose\_Data\_Model.pdf - Supplemental Result - [Similar pages](#)

Try your search again on [Google Book Search](#)

Goooooooooooooogle ►

Result Page:    1 [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#)    [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

"mapping table" identifier address "a" [Search](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) <sup>New!</sup> [more »](#)

"mapping table" identifier address "additional columns" version driver

[Advanced Search](#)  
[Preferences](#)

**Web** Results 11 - 20 of about 148 for "mapping table" identifier address "additional columns" version driver

[IANAifType-MIB DEFINITIONS ::= BEGIN IMPORTS MODULE-IDENTITY, mib ...](#)

REVISION "9610310000Z" DESCRIPTION "Initial version (version 1), published as

RFC 2037." ::= { mib-2 47 } entityMIBObjects OBJECT IDENTIFIER ::= { entityMIB ...

[www.paradyne.com/support/downloads/ mibs/all\\_bs2600\\_gs4200ip\\_mibs.mib](#) - 513k - [Cached](#) - [Similar pages](#)

[School of Computer & Information Science - University of South ...](#)

After creating A Table, You can define **additional columns**, partitions, ...

if the Index-organized Table IS partitioned, then the **mapping Table** IS also ...

[www.cis.unisa.edu.au/oracle/ server.101/b10759/statements\\_7002.htm](#) - 228k - Supplemental Result -

[Cached](#) - [Similar pages](#)

[Remote monitoring and control of devices connected to an IEEE 1394 ...](#)

the **address mapping table** 1600 is created by the IEEE 1394 driver (eg, ...

25), the location **identifier** is stored in both the **address mapping table** 1600 and ...

[www.patentstorm.us/patents/6496862.html](#) - 112k - Supplemental Result - [Cached](#) - [Similar pages](#)

[Method for formatting and routing data between an external network ...](#)

The **address mapping table** 1600 is created by The IEEE 1394 driver (eg, ...

28), The location **identifier** is stored in both The **address mapping table** 1600 and ...

[www.patentstorm.us/patents/6505255.html](#) - 127k - Supplemental Result - [Cached](#) - [Similar pages](#)

[Chapter 11. The CMP Engine](#)

If The PUBLIC **identifier** of The DOCTYPE is "-//Sun Microsystems, ... JBossQL is

a superset of EJB-QL that is designed to **address** some of The inadequacies of ...

[www.uei.co.jp/.../docs.jboss.org/ jbossas/admindevel326/html/ch11.chapter.html](#) - 222k - Supplemental Result -

[Cached](#) - [Similar pages](#)

[PDF] [www.udlap.mx/~gisudla/files/CADCORP/CadcorpV6Getti...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)

[SQL Anywhere Bug Fix Readme for Version 9.0.1, build 2085](#)

In **version** 8, the ASA ODBC **driver** produced the connection string with the "DSN="

connection ... In this example, the programmatic **identifier** associated with ...

[download.sybase.pl/ebf\\_maint/ asa\\_win\\_901\\_ebf2085\\_20051027.htm](#) - 513k - [Cached](#) - [Similar pages](#)

[PDF] [www.redbooks.ibm.com/pubs/pdfs/redbooks/sg246185.pdf](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)

[CHAPTER 11 The CMP Engine](#)

If The PUBLIC **identifier** of The DOCTYPE is "-//sun Microsystems, Inc.//DTD

Enterprise JavaBeans ... an annotated html/svg **version** of The DTD is located in ...

[docs.jboss.com/jbossas/admin-devel/Chap11.html](#) - 317k - Supplemental Result - [Cached](#) - [Similar pages](#)

[PDF] [www.camden.rutgers.edu/HELP/Documentation/Oracle/s...](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

Supplemental Result - [Similar pages](#)



Result Page: [Previous](#) [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [11](#) [Next](#)

[Search within results](#) | [Language Tools](#) | [Search Tips](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google